Materials Science and Engineering, 91 (1987) 273

Author Index

Aghajamian, M. K., 257
Albanese-Kotar, N. F., 233
Almasan, C., 181
Armacanqui, M. E., 143

Barlat, F., 55
Bassani, J. L., 19, 81
Beuers, J., 111
Breval, E., 257

Challenger, K. D., 1
Clark, D. E., 241
Cohen, J. B., L5

Datta, T., 181

Eckert, R., 19, 81
Edwards, D., 181
Elam, W. T., L13

Farrington, G. C., 125
Fletcher, A. J., 153
Fortnum, R. T., 223

Gooch, D. J., 45
Guonan, W., 39

Haicai, H., 39
Han, J. K., 73
Herman, H., L13
Ho, N. J., 161
Hong, S. I., 137
Hopgood, A. A., 105
Hsu, T. Y., (Xu Zuyao), 189

Inal, O. T., 217

Jaramillo, D., 217
Jennings, J. S., 257
Jha, S. C., 201
Jones, Jr., E. R., 181
Jönsson, S., 111

Kamen, J. S., 1
Kim, Y. G., 73
Kirkland, J. P., L13
Koo, Y. M., L5
Kumar, A. N., 29

Laird, C., 19, 81, 125
Ledbetter, H. M., 181
Lodding, A., 241

MacMillan, N. H.. 257
Martin, J. W., 105
Mikkola, D. E., 223, 233
Misra, R. D. K., L1

Neiser, R. A., L13

Odelius, H., 241
Oriani, R. A., 143
Owen, C. V., 97

Pandey, R. K., 29
Putatunda, S. K., 89

Rubel, M., L9

Sanders, Jr., T. H., 201
Sater, J. M., 201
Sayers, C. M., 195
Skelton, E. F., L13
Skelton, R. P., 1
Soomro, A. B., 153
Spitzig, W. A., 97
Sundaram, P., 29
Sundararajan, G., 169
Szecket, V. A., 217

Tirupataiah, Y., 169
Tjong, S. C., 161

Wei, K., 39
Werme, L. O., 241
Wetherhold, R. C., 7, 13

Xuemin, L., 189

Zhongguang, W., 39
Zhu, Z. Y., 125

Materials Science and Engineering, 91 (1987) 275-279

Subject Index

Abresist
  erosion of Abresist, 257
Aging
  effect of aging on the yield stress of a single-crystal superalloy, 105
  influence of dynamic strain aging on the creep ductility of solid solution alloys, 137
AISI 4130 steel
  fatigue crack initiation and propagation in AISI 4130 steel exposed to neutral perchlorate solution, 125
Alloys
  Auger electron spectroscopy of anodic oxide films on nickel-copper alloys, L1
  effects of molybdenum, titanium and silicon additions on the $DO_3 \rightleftharpoons B2$ transition temperature for alloys near Fe_3Al, 223
  effect of the welding process and heat input on the fracture toughness of welded joints in high strength low alloy steel, 29
  estimation of monocrystal elastic constants for an alloy of a cubic solvent and an hexagonal solute, L5
  fracture mechanisms in Cu-O and Cu-Pb alloys fatigued with a positive mean stress, 19
  influence of dynamic strain aging on the creep ductility of solid solution alloys, 137
  investigation of phase transformation in a 50.8-at.%Ni-Ti shape memory alloy, 189
  low temperature magnetic properties of F.C.C. Fe-Cr-Ni alloys: effects of manganese and interstitial carbon and nitrogen, 181
  microstructural characterization of rapidly solidified aluminium-transition metal alloys, 201
  plasma-induced erosion of monocrystalline alloy surfaces, L9
  plastic deformation in B.C.C. alloys induced by hydrogen concentration gradients, 143
  transmission electron microscopy studies of the dislocation microstructures in fatigued Fe-8.7Al-29.7Mn-1.04C alloy, 161
Aluminium
  low cycle fatigue behaviour of a cryogenic Fe-30Mn-5Al-0.1Nb-0.3C steel, 73
  microstructural characterization of rapidly solidified aluminium-transition metal alloys, 201
  transmission electron microscopy studies of the dislocation microstructures in fatigued Fe-8.7Al-29.7Mn-1.04C alloy, 161
Anisotropic yield surfaces
  crystallographic texture, anisotropic yield surfaces and forming limits of sheet metals, 55
Anisotropy
  effect of anisotropy on creep and creep crack growth in cold-worked C-Mn steel at 360 °C, 45
Auger electron spectroscopy
  Auger electron spectroscopy of anodic oxide films on nickel-copper alloys, L1
Austenitic (AISI 304) stainless steel
  corrosion behavior of sensitized austenitic (AISI 304) stainless steel in a CO_2 atmosphere, 89

B.C.C. alloys
  plastic deformation in B.C.C. alloys induced by hydrogen concentration gradients, 143
Beryllium
  dislocation structure in beryllium single-crystals deformed by prismatic slip, 111
Biased fiber distribution
  probabilistic aspects of the strength of fiber-dominated short-fiber composites II: biased fiber distribution, 13

Carbon
  effect of anisotropy on creep and creep crack growth in cold-worked C-Mn steel at 360 °C, 45
  low temperature magnetic properties of F.C.C. Fe-Cr-Ni alloys: effects of manganese and interstitial carbon and nitrogen, 181
  transmission electron microscopy studies of the dislocation microstructures in fatigued Fe-8.7Al-29.7Mn-1.04C alloy, 161
Carbon dioxide
  corrosion behavior of sensitized austenitic (AISI 304) stainless steel in a CO_2 atmosphere, 89
Chromium
  effect of oxidation on fatigue crack growth in 2.25Cr-1Mo steel at 525 °C: a metallographic examination, 1
  low temperature magnetic properties of F.C.C. Fe-Cr-Ni alloys: effects of manganese and interstitial carbon and nitrogen, 181
Cold-worked C-Mn steel
  effect of anisotropy on creep and creep crack growth in cold-worked C-Mn steel at 360 °C, 45
Comminuted magnesium oxide
  dissolution of comminuted magnesium oxide as affected by the density of dislocations introduced by various comminution methods, 233
Composites
  probabilistic aspects of the strength of fiber-dominated short-fiber composites I: aligned fibers, 7
  probabilistic aspects of the strength of fiber-dominated short-fiber composites II: biased fiber distribution, 13
  thermal contraction stresses in cemented tungsten carbide composites, 195

Composition
  elemental analysis of Swedish nuclear waste glasses: leachability *vs.* composition, 241
Copper
  Auger electron spectroscopy of anodic oxide films on nickel–copper alloys, L1
  fracture mechanisms in Cu–O and Cu–Pb alloys fatigued with a positive mean stress, 19
  mechanism of fracture produced by fatigue cycling with a positive mean stress in copper, 81
Corrosion behavior
  corrosion behavior of sensitized austenitic (AISI 304) stainless steel in a CO_2 atmosphere, 89
Crack
  effect of anisotropy on creep and creep crack growth in cold-worked C–Mn steel at 360 °C, 45
  effect of oxidation on fatigue crack growth in 2.25Cr–1Mo steel at 525 °C: a metallographic examination, 1
  fatigue crack initiation and propagation in AISI 4130 steel exposed to neutral perchlorate solution, 125
Creep
  effect of anisotropy on creep and creep crack growth in cold-worked C–Mn steel at 360 °C, 45
  influence of dynamic strain aging on the creep ductility of solid solution alloys, 137
Cryogenic Fe–20Mn–5Al–0.1Nb–0.3C steel
  low cycle fatigue behaviour of a cryogenic Fe–30Mn–5Al–0.1Nb–0.3C steel, 73
Crystallographic
  crystallographic texture, anisotropic yield surfaces and forming limits of sheet metals, 55
Crystals
  dislocation structure in beryllium single-crystals deformed by prismatic slip, 111
Cubic solvent
  estimation of monocrystal elastic constants for an alloy of a cubic solvent and an hexagonal solute, L5

Deformation
  plastic deformation in B.C.C. alloys induced by hydrogen concentration gradients, 143
Dislocation
  dislocation structure in beryllium single-crystals deformed by prismatic slip, 111
  dissolution of comminuted magnesium oxide as affected by the density of dislocations introduced by various comminution methods, 233
  transmission electron microscopy studies of the dislocation microstructures in fatigued Fe–8.7Al–29.7Mn–1.04C alloy, 161
Dissolution
  dissolution of comminuted magnesium oxide as affected by the density of dislocations introduced by various comminution methods, 233
Dual-phase steel
  influence of the martensite content on the fatigue behaviour of a dual-phase steel, 39
Dynamic strain aging
  influence of dynamic strain aging on the creep ductility of solid solution alloys, 137

Elemental analysis
  elemental analysis of Swedish nuclear waste glasses: leachability *vs.* composition, 241
Erosion
  erosion of Abresist, 257
  plasma-induced erosion of monocrystalline alloy surfaces, L9
Explosive welding
  transition from a waveless to a wavy interface in explosive welding, 217

Fatigue
  fatigue crack initiation and propagation in AISI 4130 steel exposed to neutral perchlorate solution, 125
  influence of the martensite content on the fatigue behaviour of a dual-phase steel, 39
  low cycle fatigue behaviour of a cryogenic Fe–30Mn–5Al–0.1Nb–0.3C steel, 73
Fatigue crack growth
  effect of oxidation on fatigue crack growth in 2.25Cr–1Mo steel at 525 °C: a metallographic examination, 1
Fatigue cycling
  mechanism of fracture produced by fatigue cycling with a positive mean stress in copper, 81
F.C.C. Fe–Cr–Ni alloys
  low temperature magnetic properties of F.C.C. Fe–Cr–Ni alloys: effects of manganese and interstitial carbon and nitrogen, 181
Fibers
  probabilistic aspects of the strength of fiber-dominated short-fiber composites I: aligned fibers, 7
Fiber-dominated short-fiber composites
  probabilistic aspects of the strength of fiber-dominated short-fiber composites I: aligned fibers, 7
  probabilistic aspects of the strength of fiber-dominated short-fiber composites II; biased fiber distribution, 13
Films
  Auger electron spectroscopy of anodic oxide films on nickel–copper alloys, L1
Fracture
  mechanism of fracture produced by fatigue cycling with a positive mean stress in copper, 81
Fracture mechanisms
  fracture mechanisms in Cu–O and Cu–Pb alloys fatigued with a positive mean stress, 19
Fracture toughness
  effect of the welding process and heat input on the fracture toughness of welded joints in high strength low alloy steel, 29

Glasses
  elemental analysis of Swedish nuclear waste glasses: leachability *vs.* composition, 241

Hexagonal solute
  estimation of monocrystal elastic constants for an alloy of a cubic solvent and an hexagonal solute, L5
Hydrogen
  plastic deformation in B.C.C. alloys induced by hydrogen concentration gradients, 143

Indentation
  comprehensive analysis of the static indentation process, 169
Iron
  low cycle fatigue behaviour of a cryogenic Fe–30Mn–5Al–0.1Nb–0.3C steel, 73
  low temperature magnetic properties of F.C.C. Fe–Cr–Ni alloys: effects of manganese and interstitial carbon and nitrogen, 181
  transmission electron microscopy studies of the dislocation microstructures in fatigued Fe–8.7Al–29.7Mn–1.04C alloy, 161
Iron aluminide
  effects of molybdenum, titanium and silicon additions on the $DO_3 \rightleftharpoons B2$ transition temperature for alloys near Fe_3Al, 223

Joints
  effect of the welding process and heat input on the fracture toughness of welded joints in high strength low alloy steel, 29

Leachability
  elemental analysis of Swedish nuclear waste glasses: leachability *vs.* composition, 241
Lead
  fracture mechanisms in Cu–O and Cu–Pb alloys fatigued with a positive mean stress, 19

Magnesium oxide
  dissolution of comminuted magnesium oxide as affected by the density of dislocations introduced by various comminution methods, 233
Magnetic properties
  low temperature magnetic properties of F.C.C. Fe–Cr–Ni alloys: effects of manganese and interstitial carbon and nitrogen, 181
Manganese
  effect of anisotropy on creep and creep crack growth in cold-worked C–Mn steel at 360 °C, 45
  low cycle fatigue behaviour of a cryogenic Fe–30Mn–5Al–0.1Nb–0.3C steel, 73
  low temperature magnetic properties of F.C.C. Fe–Cr–Ni alloys: effects of manganese and interstitial carbon and nitrogen, 181
  transmission electron microscopy studies of the dislocation microstructures in fatigued Fe–8.7Al–29.7Mn–1.04C alloy, 161
Martensite
  influence of the martensite content on the fatigue behaviour of a dual-phase steel, 39
Mechanical behavior
  effect of the nitrogen-to-hydrogen ratio on the mechanical behavior of vanadium, niobium and tantalum, 97
Metallographic examination
  effect of oxidation on fatigue crack growth in 2.25Cr–1Mo steel at 525 °C: a metallographic examination, 1
Metals
  crystallographic texture, anisotropic yield surfaces and forming limits of sheet metals, 55
Microstructural characterization
  microstructural characterization of rapidly solidified aluminium–transition metal alloys, 201
Microstructures
  transmission electron microscopy studies of the dislocation microstructures in fatigued Fe–8.7Al–29.7Mn–1.04C alloy, 161
Molybdenum
  effects of molybdenum, titanium and silicon additions on the $DO_3 \rightleftharpoons B2$ transition temperature for alloys near Fe_3Al, 223
  effect of oxidation on fatigue crack growth in 2.25Cr–1Mo steel at 525 °C: a metallographic examination, 1
Monocrystal elastic constants
  estimation of monocrystal elastic constants for an alloy of a cubic solvent and an hexagonal solute, L5
Monocrystalline alloy surfaces
  plasma-induced erosion of monocrystalline alloy surfaces, L9

Nickel
  Auger electron spectroscopy of anodic oxide films on nickel–copper alloys, L1
  investigation of phase transformation in a 50.8-at.%Ni–Ti shape memory alloy, 189
  low temperature magnetic properties of F.C.C. Fe–Cr–Ni alloys: effects of manganese and interstitial carbon and nitrogen, 181
Niobium
  effect of the nitrogen-to-hydrogen ratio on the mechanical behavior of vanadium, niobium and tantalum, 97
  low cycle fatigue behaviour of a cryogenic Fe–30Mn–5Al–0.1Nb–0.3C steel, 73
Nitrogen
  low temperature magnetic properties of F.C.C. Fe–Cr–Ni alloys: effects of manganese and interstitial carbon and nitrogen, 181
Nitrogen-to-hydrogen
  effect of the nitrogen-to-hydrogen ratio on the mechanical behavior of vanadium, niobium and tantalum, 97
Nuclear waste glasses
  elemental analysis of Swedish nuclear waste glasses: leachability *vs.* composition, 241

Oxidation
  effect of oxidation on fatigue crack growth in 2.25Cr–1Mo steel at 525 °C: a metallographic examination, 1
Oxides
  plasma sprayed superconducting oxides, L13
Oxygen
  fracture mechanisms in Cu–O and Cu–Pb alloys fatigued with a positive mean stress, 19

Perchlorate
  fatigue crack initiation and propagation in AISI 4130 steel exposed to neutral perchlorate solution, 125
Phase transformation
  investigation of phase transformation in a 50.8-at.%Ni–Ti shape memory alloy, 189
Plasma-induced erosion
  plasma-induced erosion of monocrystalline alloy surfaces, L9
Plasma sprayed superconducting oxides, L13
Plastic
  plastic deformation in B.C.C. alloys induced by hydrogen concentration gradients, 143
Polyalkylene glycol
  generation of thermal stress and strain during the quenching of steel plates in polyalkylene glycol, 153
Prismatic slip
  the dislocation structure in beryllium single-crystals deformed by prismatic slip, 111

Quenching
  generation of thermal stress and strain during the quenching of steel plates in polyalkylene glycol, 153

Steels
  corrosion behavior of sensitized austenitic (AISI 304) stainless steel in a CO_2 atmosphere, 89
  effect of anisotropy on creep and creep crack growth in cold-worked C–Mn steel at 360 °C, 45
  effect of oxidation on fatigue crack growth in 2.25Cr–1Mo steel at 525 °C: a metallographic examination, 1
  effect of the welding process and heat input on the fracture toughness of welded joints in high strength low alloy steel, 29
  generation of thermal stress and strain during the quenching of steel plates in polyalkylene glycol, 153
  influence of the martensite content on the fatigue behaviour of a dual-phase steel, 39
  low cycle fatigue behaviour of a cryogenic Fe–30Mn–5Al–0.1Nb–0.3C steel, 73
Sheet metals
  crystallographic texture, anisotropic yield surfaces and forming limits of sheet metals, 55
Silicon
  effects of molybdenum, titanium and silicon additions on the $DO_3 \rightleftharpoons B2$ transition temperature for alloys near Fe_3Al, 223
Single-crystal superalloy
  effect of aging on the yield stress of a single-crystal superalloy, 105
Slip
  dislocation structure in beryllium single-crystals deformed by prismatic slip, 111
Solid solution alloys
  influence of dynamic strain aging on the creep ductility of solid solution alloys, 137
Solidified aluminium-transition metal alloys
  microstructural characterization of rapidly solidified aluminium–transition metal alloys, 201
Solvent
  estimation of monocrystal elastic constants for an alloy of a cubic solvent and an hexagonal solute, L5
Static indentation process
  comprehensive analysis of the static indentation process, 169
Strain
  generation of thermal stress and strain during the quenching of steel plates in polyalkylene glycol, 153
Strength
  probabilistic aspects of the strength of fiber-dominated short-fiber composites I: aligned fibers, 7
  probabilistic aspects of the strength of fiber-dominated short-fiber composites II: biased fiber distribution, 13
Stress
  effect of aging on the yield stress of a single-crystal superalloy, 105
  fracture mechanisms in Cu–O and Cu–Pb alloys fatigued with a positive mean stress, 19
  generation of thermal stress and strain during the quenching of steel plates in polyalkylene glycol, 153
  mechanism of fracture produced by fatigue cycling with a positive mean stress in copper, 81
Stresses
  thermal contraction stresses in cemented tungsten carbide composites, 195
Superconducting oxides
  plasma sprayed superconducting oxides, L13
Surfaces
  crystallographic texture, anisotropic yield surfaces and forming limits of sheet metals, 55
  plasma-induced erosion of monocrystalline alloy surfaces, L9

Tantalum
  effect of the nitrogen-to-hydrogen ratio on the mechanical behavior of vanadium, niobium and tantalum, 97
Thermal contraction stresses
  thermal contraction stresses in cemented tungsten carbide composites, 195
Thermal stress
  generation of thermal stress and strain during the quenching of steel plates in polyalkylene glycol, 153
Titanium
  effects of molybdenum, titanium and silicon additions on the $DO_3 \rightleftharpoons B2$ transition temperature for alloys near Fe_3Al, 223
  investigation of phase transformation in a 50.8-at.%Ni–Ti shape memory alloy, 189
Transition
  transition from a waveless to a wavy interface in explosive welding, 217
Transition metal
  microstructural characterization of rapidly solidified aluminium–transition metal alloys, 201
Transmission electron microscopy
  transmission electron microscopy studies of the dislocation microstructures in fatigued Fe–8.7Al–29.7Mn–1.04C alloy, 161

Transition temperature
  effects of molybdenum, titanium and silicon additions on the $DO_3 \rightleftharpoons B2$ transition temperature for alloys near Fe_3Al, 223
Tungsten carbide
  thermal contraction stresses in cemented tungsten carbide composites, 195

Vanadium
  effect of the nitrogen-to-hydrogen ratio on the mechanical behavior of vanadium, niobium and tantalum, 97

Waveless interface
  transition from a waveless to a wavy interface in explosive welding, 217
Wavy interface
  transition from a waveless to a wavy interface in explosive welding, 217
Welding
  effect of the welding process and heat input on the fracture toughness of welded joints in high strength low alloy steel, 29
  transition from a waveless to a wavy interface in explosive welding, 217